

# ReproPig®

ReproPig® is used to treat reproductive problems that ultimately enhance the reproductive performance of your breeding herd, both in gilts and sows.



## Regumate® Pig

Synchronizes Estrus



EU,  
APSA,  
LATAM,  
NA\*



1 Dose  
5 ML



Gilts



Sows\*\*

\*North America has Altrenogest under the name Matrix, with a different treatment schedule and composition.  
\*\*Regumate® is not registered for its use in sows in all the countries.

### Gilts

One dose of 5 ml per gilt per day for **18 consecutive days** given orally with feed for immediate consumption.



### Sows

Registrations can differ per country. Therefore Regumate may be registered for sows in some countries.

### Prepuberal Gilts

P.G. 600 is indicated for induction of fertile estrus (heat) in healthy prepuberal (non-cycling) gilts over **six months of age** and **weighing at least 85 kg (187 lb.)**.

### Sows at Weaning

P.G. 600 is indicated for induction of estrus in healthy weaned sows experiencing delayed return to estrus.



## PG 600®

Induces Estrus



EU,  
APSA,  
LATAM,  
NA



1 Dose  
5 ML



Gilts



Sows



## Planate®

Induces Farrowing



1 Dose  
2 ML



Gilts



Sows



EU,  
APSA,  
LATAM,  
NA\*

\*Estrumate (Equine product)

Sow and gilts may not be injected earlier than two days before the expected date to induce the farrowing.

### Gilts

Administer 2.5 ml of the product at **115 - 120 hours** after the end of the synchronisation treatment with a progestin. A single artificial insemination should be done **30 - 33 hours** after administration of the product.

### Sows

Administer 2.5 ml of the product at **83 - 89 hours** after weaning. A single artificial insemination should be done **30 - 33 hours** after administration of the product.



## Porceptal®

Induces Ovulation



1 Dose  
2,5 ML



Gilts



Sows



EU,  
APSA,  
LATAM,  
NA